



RESED Revista de la Sociedad Española del Dolor

21 CONGRESO
DE LA SOCIEDAD
ESPAÑOLA
DEL DOLOR

FYCMA
Palacio de Ferias y
Congresos de Málaga

28·29·30
de mayo 2025
MÁLAGA

SED
Sociedad Española del Dolor

sedmalaga2025.com
#SEDolor25

XXI CONGRESO DE LA SOCIEDAD ESPAÑOLA DEL DOLOR 2025

Málaga, 28, 29 y 30 de mayo de 2025

ABSTRACTS

INSPIRA NETWORK



RESED**Revista de la Sociedad Española del Dolor**

ABSTRACTS

Intraperitoneal nebulized ropivacaine in bypass surgery

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17573543855ea2100f31-archivo-autor-abstract_english.pdf

Evolution of pain and quality of life in patients with Post-Acute COVID-19 Syndrome.

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757343541456546316a-archivo-autor-Traduccion-Salvador-Ruiz-Andres-J.pdf

Sphenopalatine ganglion block in painful trophic lesions of the nasal septum

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757278719bbcaec57e2-archivo-autor-SED.pdf

Stellate ganglion ablation by thermal radiofrequency as definitive therapy in refractory electrical storm: experience in a tertiary hospital

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17572764496281c41aa0-archivo-autor-Stellate_Ganglion_Ablation_English.pdf

Alice in Wonderland Syndrome and neuropathic pain due to arachnoiditis

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757276019b29a771c56-archivo-autor-Abs-tract-ALICE-IN-WONDERLAND-SYNDROME-AND-NEUROPATHIC-PAIN-DUE-TO-ARACHNOIDITIS.docx

Experience in the use of Sativex®: retrospective analysis in a tertiary hospital

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757275731ff39041171-archivo-autor-Sativex_Experience_English.pdf

Modulation of capsaicin and surgical incision-induced tactile allodynia through the synergy between sigma-1 antagonism and soluble epoxide hydrolase inhibition

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757272929c67d9f27ee-archivo-autor-MRF-Abstract-SED-2025-traduccion.pdf

Analysis of the use of the capsaicin patch in the treatment of peripheral neuropathic pain at CHUVI during the year 2024

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757272206d1b13ad1ee-archivo-autor-abstract-ingles.pdf

Intravenous Infusion of Ketamine and Lidocaine for Opioid Dehabituatation: A 5-Day Protocol

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175726594013251edad6-archivo-autor-Intravenous-Infusion-of-Ketamine-and-Lidocaine-for-Opioid-Dehabituatation.pdf

Management of Refractory Oncologic Pelvic Pain with an Intrathecal Pump Delivering Triple Therapy

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175726587007a4b291e0-archivo-autor-Management-of-Refractory-Oncologic-Pelvic-Pain-with-an-Intrathecal-Pump-Delivering-Triple-Therapy.pdf

Hyperbaric oxygen therapy for pain management in necrotizing fasciitis

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17572647166d698113b9-archivo-autor-Cristina-Blanco-Dorado.-SED2025.-Ingles.pdf

Capsaicin Patch 175 mg in neurostimulator generator pocket

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757264483815406b741-archivo-autor-Capsaicin-Patch-175-mg-in-Neurostimulator-Generator-Pocket.docx

New perspective on sacroiliac denervation: less is more

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175726027136e5d6cfc4-archivo-autor-Abs-tract.pdf

Preliminary analysis of the implementation of the urgent tunneled epidural algorithm for chronic cancer pain
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757254853c3d9c10edd-archivo-autor-Preliminary-Analysis-of-the-Implementation-of-the-Urgent-Tunneled-Epidural-Algorithm-for-Chronic-Cancer-Pain.docx

When simple solves complexity: effective treatment for challenging cases
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757250122d0eee71021-archivo-autor-Abs-tract-traducido.pdf

Perineural use of hyaluronidase in post-traumatic compressive neuropathy: a case report
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757247975d0be49a299-archivo-autor-Peri-neural-Use-of-Hyaluronidase-in-Post-Traumatic-Compressive-Neuropathy-A-Case-Report.pdf

Is obesity a predictive factor for poor outcomes in intrathecal analgesia? Cross-sectional observational study
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17572435171b7803dff8-archivo-autor-Comu-nicacion-SED-Malaga-2025-obesidad-BIT.pdf

CT-Guided lumbar sympathectomy in a patient with grade iv chronic ischemia and extensive spinal instrumentation
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757234166bd9ce18be8-archivo-autor-CT-Gui-ded-Lumbar-Sympathectomy.docx

What burden is detected in the caregivers of patients with intrathecal analgesic infusion?
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757225362562277cd45-archivo-autor-Pos-ter-SED-2025-Cuidador-IT-2.es_.en_.pdf

High estimated risk of chronic postsurgical pain with GENDOLCAT scale: a patient group characterization
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757202209e0d22acc08-archivo-autor-Abs-tract-Gendolcat-2.docx

Scalp block with sedation in stereotactic brain biopsy: a case report
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17571976433e23d81cda-archivo-autor-SCALP-BLOCK-WITH-SEDATION-IN-STEREOTACTIC-BRAIN-BIOPSY-A-CASE-REPORT.docx

Efficacy of bipolar radiofrequency of the splanchnic nerves in oncology: A case report
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757192936b20c561334-archivo-autor-Effi-cacy-of-bipolar-radiofrequency-of-the-splanchnic-nerves-in-oncology-A-case-report.pdf

Topical combination treatment of first trigeminal branch neuralgia. Qutenza + TX360. It's not magic, it's science
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757182392c7454ab91f-archivo-autor-Abs-tract-efic-2025.pdf

Transformation of the PACC Spinal Infusion Guidelines: what has changed since 2017?
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757180076377e6e1807-archivo-autor-Trans-formation-of-the-PACC-Spinal-Infusion-Guidelines-What-Has-Changed-Since-2017.docx

Management of brachial plexus tumor infiltration pain with pulsed radiofrequency and botulinum toxin: an effective approach in an oncologic patient
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757171422b7edf202c1-archivo-autor-Articulo-en-ingles-espanol-para-EFIC.docx

Collagen-induced arthritis: a translational model of rheumatoid arthritis development and associated pain in rats
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757170059de7b5ce024-archivo-autor-Colla-gen-induced-arthritis.pdf

Persistent hiccups associated with interventional pain procedures: a rarely reported complication
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175716523427d2d802fb-archivo-autor-HIC-CUPS-AND-EPIDURAL-CORTICOSTEROIDS.-IBONE-URRUTIA.pdf

Management and treatment of vulvodynia. Literature review
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757157950b0d21f52f3-archivo-autor-MANA-GEMENT-AND-TREATMENT-OF-VULVODYNIA.-LITERATURE-REVIEW.docx

Effectiveness of telerehabilitation in reducing pain in patients with fibromyalgia
https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17571553626518c0a16d-archivo-autor-Effec-tiveness-of-Telerehabilitation-in-Reducing-Pain-in-Patients-with-Fibromyalgia.pdf

Reliability and validity of the modified push-up test with the wii balance board for measuring axial load strength in the upper limbs

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757155038c59d46594d-archivo-autor-POSTER-SED-MALAGA-2025-final-INGLES.pdf

Ultrasound-guided caudal epidural infiltration: is simulation an effective learning tool?

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757154128df0dfb093a-archivo-autor-Title-ingles-abstract-epidural-caudal.docx

Transcutaneous pulsed radiofrequency: a promising alternative for the management of epicondylitis and epicondylalgia

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757152509674c75f1e7-archivo-autor-epicondylalgia-ingles.docx

Six-month history of lumbar lateral shift: A case study

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757149995a1b9398edf-archivo-autor-Six-month-history-of-lumbar-lateral-shift.-A-case-study.pdf

Effects of exercise and education programmes on the prevention of recurrent low back pain: a literature review

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757149930723f3a7d3f-archivo-autor-Effects-of-exercise-and-education-programmes-on-the-prevention-of-recurrent-low-back-pain.-A-literature-review.pdf

Effects of the application of different treatment times pulsed radiofrequency (RFP) in lumbar radiculopathy

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757094964556b52cebf-archivo-autor-BED-MAR-COMUNICACION-SED-2025.pdf

Implementation of the Predictive Scale for Chronic Postsurgical Pain (GENDOLCAT) in Patients Scheduled for Surgery

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175709331454c00f5fc9-archivo-autor-Abstract-Gendolcat-1.docx

Pain assessment in patients with post-COVID-19 syndrome in relation to psycho-emotional distress: an observational study.

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757086552f5243ecca5-archivo-autor-Tra-duccion-SED-poster-ID-115.docx

Effects of high-intensity training in chronic low back pain. Systematic review and meta-analysis

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757086356dbe6eb3e2d-archivo-autor-Tra-duccion-SED-poster-ID-141.docx

The affective touch and pain perceptions are distinct phenomena in both vicarious and first- hand somatosensory experience

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17570816776102b8dd24-archivo-autor-Frigione_SED25_AT.PAIN_-abstract.pdf

Usability and effectiveness of a mobile application, bbmind, as a tool for mindfulness practice in treating chronic pain conditions

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175708162982c6f2fd55-archivo-autor-Frigione_SED25_BBmind-abstract.pdf

Comparision of two TMS protocols in patients with fibromyalgia and generalized chronic pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17570730605eaa85f294-archivo-autor-EMT.pdf

High-frequency spinal cord stimulation (HFXTM) for chronic postoperative pelvic pain: a case series

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17570727777f75abe1b9-archivo-autor-PELVICO-INGLES.docx

Review of dorsal root ganglion stimulation cases in our unit

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17570719818530c46f78-archivo-autor-abstract_DRGS.docx

Peripheral nerve radiofrequency in a patient with complex regional pain syndrome type II (MG30.04)

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757071911ee20b5aa70-archivo-autor-MEDIANO-INGLES.docx

Multidimensional evaluation of the impact of spinal cord stimulation in patients with persistent spinal pain syndrome type 2: 12-month follow-up

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175707059960c05cccfe-archivo-autor-psps2_neurostimulation_english_final.docx

Biopsychosocial factors associated with the evolution of sleep in people with chronic low back pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175707036109c2deefd7-archivo-autor-Abstract_english_SED2025_Biopsychosocial-factors-associated-with-the-evolution-of-sleep-in-people-with-chronic-low-back-pain.docx

Cortical Neurostimulator for the Treatment of Refractory Complex Regional Pain Syndrome Type I (CRPS-I)

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757070213b693c3c65f-archivo-autor-abstract_neurostimulator_english.docx

PGN34: A Novel Cannabinoid Agonist with Promising Effects on Inflammation and Pain in Animal Models

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757067375b6ce42cf79-archivo-autor-Abstract-congreso-SED-2025.docx

PREVENDOL: a mobile application for the prevention of chronic post-surgical pain in children and adolescents

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757061379131f3eff68-archivo-autor-Poster-SED-en-ingles.pdf

Ongoing assessment of the need for an intrathecal PUMP

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1757019268889b5bd651-archivo-autor-ON-GOING-ASSESSMENT-OF-THE-NEED-FOR-AN-INTRATHECAL-PUMP.pdf

Treatment with lidocaine alone or associated with intravenous ketamine in a Pain Unit

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175701885794db932ad6-archivo-autor-Treatment-with-lidocaine-alone-or-associated-with-intravenous-ketamine-in-a-Pain-Unit.docx

ACNES syndrome: A case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17568244698acd58b95a-archivo-autor-ACNES-Syndrome-A-case-report.docx

Intradiscal antibiotic therapy: an effective alternative for chronic low back pain?

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17568185905c1b78dbd2-archivo-autor-ABSTRACT-INGLES-PDF.pdf

Relationship between pain, psychosocial factors, physical activity and sleep in chronic musculoskeletal pain: preliminary study

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756801484df8bdc84ed-archivo-autor-Comunicacion-observacional_Beatriz-Brea-Gomez.pdf

Education and virtual reality in pain threshold for chronic low back pain: randomised clinical trial

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17568012835440144403-archivo-autor-Comunicacion-ECA_Beatriz-Brea-Gomez.pdf

Exacerbated CRPS secondary to migration of a dorsal root ganglion neurostimulation device: case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756752234cccf4c954f-archivo-autor-CASO-CONGRESO-DOLOR-english.pdf

Sphenopalatine ganglion block as a treatment of headache caused by intracranial hypotension secondary to vascular malformation

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756745075ded0281b65-archivo-autor-Caso-clinico-SED-traducido.docx

Questions from patients to their doctors: What do they want to know?

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17567120926bf71b8532-archivo-autor-Questions-from-patients-to-their-doctors.pdf

Intra-articular local infiltration analgesia (LIA) in knee prostheses from the patient's perspective: sex-related differences

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756284954308b54d96b-archivo-autor-LIA2-ingles.docx

Prescription opioid use disorder risk prediction model

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17562077133e04274889-archivo-autor-Abs-tract_Modelo_MORPHEO_SED-2025_ingles.pdf

"Gender-pain questionnaire": the experience of chronic pain through gender (identity and roles)

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756207501f606644744-archivo-autor-Abs-tract_Cuestionario_SED-2025_ingles.pdf

Comprehensive management of pain in oncology patients: the key role of nursing.

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756202261efc3ac44f5-archivo-autor-48146731A-LARA-RUIZ-GARCIA.pdf

Patient-perceived satisfaction following percutaneous laser disc decompression

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175616294186ae377ae7-archivo-autor-Patient-Perceived-Satisfaction-following-Percutaneous-Laser-Disc-Decompression-3.pdf

Efficacy and functional recovery following local intraarticular analgesia (LIA) in knee arthroplasty

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17561545779ad4a5e3c0-archivo-autor-Knee_Arthroplasty_LIA_Manuscript.docx

Stellate ganglion block in a patient with persistent ventricular fibrillation

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756148546bf737ae18f-archivo-autor-Copia-de-new_poster_v_BLOQUEO-GANGLIO-ESTRELLADO-EN-UN-PACIENTE-CON-FIBRILACION-VENTRICULAR-PERSISTENTE.pptx.pdf

Nursing and neuromodulation: synchronizing technology and humanity

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756140140a0b59a9147-archivo-autor-Nursing-and-Neuromodulation-.pdf.pdf

Intraperitoneal nebulized ropivacaine in gastric by-pass surgery

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1756121815addc7276b0-archivo-autor-abs-tract_english.pdf

Refractory chronic cancer pain management with intrathecal pump and PCEA: a case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755793057c515e3d791-archivo-autor-Documento-sin-titulo.pdf

"Infection Zero" protocol in the spinal cord stimulation device placement

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17557134179eb89a6bea-archivo-autor-Poster-infeccion-ingles.pdf

Effectiveness of epidurolysis in the treatment of persistent low back pain PSPS type II

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175571334830304a8516-archivo-autor-Poster-epidurolysis-ingles.pdf

Reliability and validity of electrical thresholds to quantify somatosensory function in patients with chronic pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755683963ceadd25062-archivo-autor-4.-ElectricalThresholds_English.docx

Development of a digital tool to quantify pain distribution and intensity in the hospital setting

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755683810357807d3b3-archivo-autor-3.-Mapping_English.docx

Clinical prediction for a protocol combining transcranial direct current stimulation and physiotherapy in chronic low back pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755683469cbd390b863-archivo-autor-2.-tDCS_English.docx

Clinical prediction of interventional techniques for chronic low back pain in the hospital setting

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17556831788c857328eb-archivo-autor-1.-RPC_English.docx

Analgesic efficacy of percutaneous laser disc decompression

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755624215034cded27a-archivo-autor-Analgesic-Efficacy-of-Percutaneous-Laser-Disc-Decompression.docx

Cryoanalgesia for pectus excavatum surgery, improving surgical circuit efficiency

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1755539512ad351d2b28-archivo-autor-Cryoanalgesia-for-Pectus-Excavatum-Surgery.pdf

Development and proposal of an analgesia and cryoanalgesia protocol for pectus excavatum surgery in pediatric patients

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175537367337a1750291-archivo-autor-sa-ra-postercrioingles.pdf

Pain as the cause of orotracheal intubation: a case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175499430345dfeca2c3-archivo-autor-Abstract.pdf

Tropical spastic paraparesis/HTLV-1 associated myelopathy. Case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754909738170611f443-archivo-autor-formatted_case_report.docx

Management of the patient with hearing disability in the pain unit

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17547392073e9b0f5302-archivo-autor-Management-of-the-Patient-with-Hearing-Disability-in-the-Pain-Unit.pdf

Approach to the medial cervical branch using a hybrid technique: ultrasound and fluoroscopy

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754602280ed294cdad0-archivo-autor-Cas-SED-angles.docx

Between the back and the puncture: unexpected complications of an epidural infiltration

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754416958e25fbaf6d4-archivo-autor-Abstract-ingles-2.pdf

Recharge with surprise: when the pump does not deliver what is expected

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17544168105546274698-archivo-autor-abstract-ingles-1.pdf

Effectiveness of epidural corticosteroid injections in spinal disorders: a mid-term real-world data analysis

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754301011357ae35558-archivo-autor-Abstract-SED-2025-en-ingles.docx

Lumbar pain and postherpetic neuralgia: an unusual combination

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17541616867bee54e7f7-archivo-autor-Poster-SED-2025-ingles.docx

Complex regional pain syndrome secondary to chemotherapy extravasation

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175408165255b5c7304c-archivo-autor-DOLOR-QT-SED-V2-Ingles.pdf

Chronic pain after oncological breast surgery: prevalence and actions to reduce it

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17540814371f8649fd4a-archivo-autor-BRIL-MA-para-SED-traducc-ingles-Ingles.pdf

Percutaneous electrical nerve stimulation: usefulness in Complex Regional Pain Syndrome (CRPS)

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754066919a3f5eb8711-archivo-autor-Percutaneous-Electrical-Nerve-Stimulation.pdf

Spinal cord stimulation in cervical plexus neuropathy: a case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17540569969511ba0128-archivo-autor-Caso-EME-ingles.pdf

Multimodal analgesia with quadratus lumborum block in a pregnant woman with myelomeningocele undergoing fetal surgery

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1754044752db964742cf-archivo-autor-MULTIMODAL-ANALGESIA-WITH-QUADRATUS-LUMBORUM-BLOCK-IN-A-PREGNANT-WOMAN-WITH-MYELOMENINGOCELE-UNDERGOING-FETAL-SURGERY.pdf

Analgesic effects of counterstimulation in a patient with phantom limb pain – A case study

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175397634613b47f5943-archivo-autor-Poster-Caso-SED-25-traducido.pdf

Effectiveness of therapeutic exercise in adults with acute low back pain: a systematic review

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753975704ce734a51a1-archivo-autor-Poster-Rev-sis-SED-traducido.pdf

8 % capsaicin patch (Qutenza) in complex regional pain syndrome type 1

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753973315e8c8adea27-archivo-autor-POSTER-PARCHE-CAPSAICINA-INGLES.docx

Post-dural puncture headache “when the relief of childbirth leaves a mark” nursing care makes the difference

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753958031dd0aeceabb-archivo-autor-Epidural-y-cefalea-postpuncion-cuando-el-alivio-del-parto-deja-huella-los-cuidados-enfermeros-marcan-la-diferencia-1080-x-1920-px.pdf

Central sensitization syndrome (CSS) and post-traumatic stress disorder (PTSD): is there a connection?

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175395636603ee33f1a9-archivo-autor-Abstract.docx

Effectiveness of Acceptance and Commitment Therapy in individuals with pain awaiting lumbar surgery: Preliminary results from a randomized controlled trial

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175395438559b0037dda-archivo-autor-Abstract-SED_2-2025.pdf

Predicting adherence and clinical response to cognitive behavioral therapy in individuals with chronic low back pain and depressive symptoms: A secondary analysis of a randomized controlled trial

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175395431214c3459698-archivo-autor-Abstract-SED_1-2025.pdf

Cerebrospinal hypotension syndrome: another cause of headache in a migraine patient

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/175389808528ecfc3a5f-archivo-autor-Cerebrospinal-hypotension-syndrome.pdf

Clinical improvement with spinal cord neurostimulator despite unusual electrode placement

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17538974270c6577146e-archivo-autor-CLINICAL-IMPROVEMENT-WITH-SPINAL-CORD-NEUROSTIMULATOR-DESPITE-UNUSUAL-ELECTRODE-PLACEMENT.pdf

Unraveling the relationship between indirect and self-reported measures of body disturbance in chronic low back pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753871657ba21ae65a6-archivo-autor-Abstract_SED_Malaga_Englishversion.pdf

Treatment of neuropathic pain after herniorrhaphy using capsaicin patch

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753866724e8931ed609-archivo-autor-abstract.docx

Endocrine dysfunction according to opioid type in chronic non-cancer pain patients

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/17538653102a3537db06-archivo-autor-Abstract-ingles.pdf

Identifying Pain in Patients with Severe Dementia and Palliative Care Needs

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753859661cdaf8cfb45-archivo-autor-Identifying-Pain-in-Patients-with-Severe-Dementia-and-Palliative-Care-Needs.docx

ACNES syndrome: a case report

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753816048132c1a5ccc-archivo-autor-ACNES-Syndrome-A-case-report.docx

Effectiveness of a pain neuroscience education programme in women with fibromyalgia

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753809021953024edef-archivo-autor-Effectiveness-of-a-Pain-Neuroscience-Education-Programme-in-Women-with-Fibromyalgia.docx

Body Distribution of Chronic Pain in Women with Fibromyalgia: An Observational Study

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753808952e1cd34c25c-archivo-autor-Body-Distribution-of-Chronic-Pain-in-Women-with-Fibromyalgia.docx

Global crisis of fentanyl addiction: risk factors and prevention strategies in chronic pain

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/1753806637aa5ef199ca-archivo-autor-Global-crisis-of-fentanyl-addiction-risk-factors-and-prevention-strategies-in-chronic-pain.pdf

Sex stereotypical disparities in emotional impact of chronic non-cancer pain: hierarchical clustering and thematic categorization using machine learning

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/POSTER%20CNCP%20SEX%20DISPARITIES.pptx.pdf

Severe lumbar canal stenosis in a patient with laurence-moon-bardet-biedl syndrome (LMBBS)

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/ABSTRACT-LMBBS.pdf

Atypical presentation of erosive spondyloarthritis in a patient with VEXAS syndrome

https://www.sedolor.es/wp-content/uploads/cfdb7_uploads/VEXAS_abstract_EN.pdf